


KONE SIGNALIZATION



KSS 570

KSS 570 signalization offers a high degree of flexibility to meet the needs of your building. Choose from a wide range of aesthetic options to match the look and feel of your elevator and complement your lobby design.

Flush Car Operating Panel*



Note: If IBC 2018 or ASME A17.1-2019/CSA B44-19 code is applicable, contact your local sales professional for controller space configurations.


*Modernization applications utilize an applied car operating panel P Premium finish

Finish options:

Brushed Stainless Steel (4SS; Grade 441)
Brushed Stainless Steel (4SS; Grade 304) P
Golden Brushed Stainless Steel (SS1) P

Max landings: Flush & applied: 24; Swing: 36 (applications exceeding max utilize keypad)

Flush Keypad Car Operating Panel*




Flush keypad car operating panel: Up to 4 direct call buttons available for non-numeric floors

Displays: Flush and swing: amber, white or blue dot matrix as standard; Media screen available as option

Buttons: Round with amber, white or blue acceptance light

Note: Variable dimensions are available for modernization applications


Flush Car Operating Panel for KONE 24/7 Emergency Video Communications*



KONE 24/7 Emergency Video Communications Car Operating Panel is also available for conventional and destination control systems. Contact your local sales representative for more information.

KSS 570


Swing Car Operating Panel



*Width is determined by push button quantity and arrangement


P Premium finish

Swing Keypad Car Operating Panel



Swing keypad car operating panel:
Up to 6 direct call buttons available for
non-numeric floors

Swing Car Operating Panel for KONE 24/7 Emergency Video Communications



KONE 24/7 Emergency Video Communications
Car Operating Panel is also available for
conventional and destination control systems.
Contact your local sales representative for
more information.

KSS 570

Finish options:


Brushed Stainless Steel (4SS; Grade 441) P
 Brushed Stainless Steel (4SS; Grade 304) P
 Golden Brushed Stainless Steel (SS1) P

Displays: Amber, white or blue dot matrix


Buttons: Round with amber, white or blue call acceptance light

Note: Hall fixture faceplates are 19mm thick and are not flush with the wall surface. Fixtures with a key switch require a back box.

Hall Lanterns*



Horizontal Orientation




Vertical Orientation





Car Direction



Amber White




Hall Stations




Hall Position Indicators*



Horizontal Orientation



Horizontal Orientation



Vertical Orientation

*For modernization applications, an extended backplate option is available.

KSS 140



KSS 140 is designed to withstand the most demanding environments by being impact, burn and splash resistant. Scratch resistance is achieved by utilizing the textured Scottish Quad finish option.

Finish options:

Brushed Stainless Steel (4SS; Grade 441)

Brushed Stainless Steel (4SS; Grade 304) P

Scottish Quad (K) P

Display: Flush and Swing: Amber

Buttons: Vandal; metallic, impact-resistant, round amber call acceptance light

Max landings: New elevators: 24; existing elevators: 18


Note: Variable dimensions are available for modernization applications

Note: If IBC 2018 or ASME A17.1-2019/CSA B44-19 code is applicable, contact your local sales professional for controller space configurations.


*Modernization applications utilize an applied car operating panel

P Premium finish

Flush Car
Operating Panel*





Flush Car Operating Panel For KONE 24/7
Emergency Video Communications*




KSS 140


Swing Car
Operating Panel*
Stainless Steel



Swing Car
Operating Panel*
Scottish Quad



Swing Car Operating Panel For KONE 24/7 Emergency Video Communications



*Width is determined by push button quantity and arrangement

Hall Fixtures

Finish options:

Brushed Stainless Steel (4SS; Grade 441)

Brushed Stainless Steel (4SS; Grade 304) 



Scottish Quad (K) 

Display: Amber


Buttons: Vandal; metallic, impact-resistant, round amber call acceptance light

 Premium finish

Hall Stations



Hall Position Indicators



KONE

kone.us

Copyright © 2026 KONE Inc. This publication is for general informational purposes only. KONE Inc. reserves the right to alter the product design and specifications without prior notice. Minor differences between printed and actual colors may exist. KONE is a registered trademark of KONE Corporation.

GET CONNECTED

Scan this QR code or visit website to get in touch with a KONE Sales Professional:

kone.us/contact



SF2968 - Rev 0126
Printed in the U.S.